



Unified Program Guidance Document

Lead Acid Battery Inventory Reporting

The Hazardous Materials Business Plan Technical Advisory Group (HMPB TAG) worked with Cal/EPA, Cal EMA, and industry stakeholders to develop guidance for the inventory reporting of lead acid batteries.

The HMBP TAG developed a generic lead acid battery inventory reporting page, which is attached.

The HMBP TAG came to the following conclusions:

- 1. Lead acid batteries should be listed as one inventory item. Electrolyte and lead should not be listed as separate inventory items. Listing them separately can give the impression they are physically separate items electrolyte in a bottle or drum and lead plates in a stack on a shelf.
- 2. The Common Name should include the words "lead acid batteries". This is the most common and universally understood term used to describe these batteries.
- 3. The quantity of electrolyte, which is the component of the battery which presents the primary immediate hazard to emergency responders, should be used to determine if the batteries have exceeded the reporting threshold, i.e. lead acid batteries become reportable when the aggregate amount of electrolyte reaches 55 gallons.
- 4. A reporting threshold based on the volume of electrolyte alone is consistent with EPCRA and California Fire Code thresholds. The EPCRA Tier II reporting threshold for sulfuric acid is 500 pounds. Assuming a maximum 40% sulfuric acid concentration, it would require a minimum of 83 gallons of electrolyte to exceed the EPCRA Tier II reporting threshold. The California Fire Code Section 608 applies to stationary storage battery systems having an electrolyte capacity of more than 50 gallons for flooded lead acid or valve-regulated lead acid (VRLA) batteries used for facility standby power, emergency power or uninterrupted power supplies.
- 5. The primary immediate hazard from lead acid battery electrolyte is corrosivity. The relative degree of this hazard varies primarily upon the form (e.g., gel, absorbed mat or flooded) and concentration of sulfuric acid in the electrolyte.

The concentrations of other hazardous mixture components present in solution, such as lead compounds, do not materially affect the primary immediate hazard the batteries present.

Unified Program Guidance Document Lead Acid Battery Inventory Reporting

- a. <u>Sulfuric acid</u>: The percentage by weight of sulfuric acid in battery electrolyte is typically in the 25% 40% range. The model form uses a value of 40%.
- b. <u>Lead compounds in solution</u>: The amount of lead compounds in solution is difficult to get precise data on. The best available information indicates that the percentages by weight of soluble lead compounds in battery electrolyte is less than 1%, and are therefore not listed.
- 6. Employee training and response to and mitigation of releases from lead acid batteries should take into account all hazards including hazardous soluble and solid metal components.
- 7. CERS should contain a generic, default lead acid battery inventory entry.
- 8. To calculate the gallons electrolyte, use tables of gallons of electrolyte per battery cell from manufacturer. If unknown, multiply the fractional weight of electrolyte (from MSDS) times the total battery weight (in pounds) and divide by the minimum specific gravity (from MSDS) times 8.34 pounds per gallon; or

Electrolyte volume = (X %/100)(Y pounds)/(Z Specific Gravity)(8.34 pounds/gallon)

Example: (40%/100)(40 pounds)/(1.285)(8.34 pounds/gallon) = 1.34 gallons

Attachment

UNIFIED PROGRAM CONSOLIDATED FORM HAZARDOUS MATERIALS

HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION

ADD		DELETE	(Cite par		REVIS		41007		200	/	/	Page _	of
I. FACILITY INFORMATION													
											3		
CHEMICAL LOCATION 201 CHEMICAL LOCATION CONFIDENTIAL EP 21 YES NO								L EPCRA	202				
FACILITY ID#						1	MAP#	(optional)	20	GRID#	(optional)		204
II. CHEMICAL INFORMATION													
CHEMICAL NAME 205 TRADE SECRET													
If Subject to EPCRA, refer to instructions													
00.1.1.0.1.1.1.1.1								BHS* Yes No Note: Leave blank per Field 208 instructions for mixtures					
Lead Acid Batteries containing an FHS													
*If EHS is "Yes", all amounts below must be in lbs.													
FIRE CODE HAZARD CLASSES (Complete if required by CUPA) COTTOSIVE													
HAZARDOUS MATER	IAL					7751 204	D10 1 C			212	CIPIE		213
TYPE (Check one item of		b. MIXTUR	E 🗆 c. WAST	ΓE	ž.	III RA	ADIOAC	TIVE Yes	ZI NO	212	CURIES		hvid
PHYSICAL STATE (Check one item only) a. SOLID \(\sigma\) b. LIQUID \(\sigma\) c. GAS LARGEST CONTAINER Note: Use gallous of electrolyte.											212		
FED HAZARD CATEGORIES (Check all that apply)													
AVERAGE DAILY AM	AVERAGE DAILY AMOUNT WAS ANNUAL WASTE AMOUNT STATE WASTE CODE										220		
Note: Use gallons of electrolyte Note: Use gallons of electrolyte													
UNITS*													
STORAGE CONTAINER a.													
	☐ b. UNDERGROUND TANK ☐ f. CAN						□ j. BAG □ n. PLASTIC BOTTLE ☑ r. OTHER						
☐ c. TANK INSIDE BUILDING ☐ g. CARBOY ☐ k. BOX ☐ o. TOTE BIN ☐ d. STEEL DRUM ☐ h. SILO ☐ l. CYLINDER ☐ p. TANK WAGON									223				
										224			
STORAGE TEMPERATURE													
%WT	HAZARDOUS C	OMPONE	NT (For mix	ture c	r waste	only)		EHS			CAS	#	
1 40 Note: 226	Sulfuric Acid					22		Yes 🗌 No	223	7664-9		-	229
Max in range			N			23		Yes 🗆 No	232	INTERCORE			233
2 230								100 🗀 110			7.1		
3 234						23	5 🗆	Yes 🗌 No	236				237
4 238						23	9 🗆	Yes 🗌 No	240				241
5 242						24		Yes No	244				245
	ents are present at greater than			, or 0.1	% Dy Weigh	i ii carcini	ogenic, att	ach additional shee	s of pape	capturing th	e required info	rination.	246
ADDITIONAL LOCA	ALLY COLLECTED INF	ORMATIO	N										togend Side
											If EPCRA,	Please Sig	m Here

Hazardous Materials Inventory - Chemical Description

You must complete a separate Hazardous Materials Inventory - Chemical Description page for each hazardous material (hazardous substances and hazardous waste) that you handle at your facility in aggregate quantities equal to or greater than 500 pounds, 55 gallons, 200 cubic feet of gas (calculated at standard temperature and pressure) or the federal threshold planning quantity for Extremely Hazardous Substances, whichever is less. Also complete a page for each radioactive material handled over quantities for which an emergency plan is required to be adopted pursuant to 10 CFR Parts 30, 40, or 70. The completed inventory should reflect all reportable quantities of hazardous materials at your facility, reported separately for each building or outside adjacent area, with separate pages for unique occurrences of physical state, storage temperature and storage pressure. (Note: the numbering of the instructions follows the data element numbers that are on the Unified Program Consolidated Form (UPCF) pages. These data element numbers are used for electronic submission and are the same as the numbering used in Division 3, Electronic Submittal of Information.) Please number all pages of your submittal. This helps your CUPA or AA identify whether the submittal is complete and if any pages are separated.

FACILITY ID NUMBER - This number is assigned by the CUPA or AA. This is the unique number which identifies your facility.

BUSINESS NAME - Enter the full legal name of the business.

200. ADD/DELETE/ REVISE - Indicate if the material is being added to the inventory, deleted from the inventory, or if the information previously submitted is being revised. NOTE: You may choose to leave this blank if you resubmit your entire inventory annually.

201. CHEMICAL LOCATION - Enter the building or outside/ adjacent area where the hazardous material is handled. A chemical that is stored at the same pressure and temperature, in multiple locations within a building, can be reported on a single page. NOTE: This information is not subject to public disclosure pursuant to HSC §25506.

202. CHEMICAL LOCATION CONFIDENTIAL - EPCRA - All businesses which are subject to the Emergency Planning and Community Right to Know Act (EPCRA) must check "Yes" to keep chemical location information confidential. If the business does not wish to keep chemical location information confidential check

203. MAP NUMBER - If a map is included, enter the number of the map on which the location of the hazardous material is shown.

- 204. GRID NUMBER If grid coordinates are used, enter the grid coordinates of the map that correspond to the location of the hazardous material. If applicable, multiple grid coordinates can be listed.
- 205. CHEMICAL NAME Enter the proper chemical name associated with the Chemical Abstract Service (CAS) number of the hazardous material. This should be the International Union of Pure and Applied Chemistry (IUPAC) name found on the Material Safety Data Sheet (MSDS). NOTE: If the chemical is a mixture, do not complete this field; complete the ACOMMON NAME" field instead.
- 206. TRADE SECRET Check "Yes" if the information in this section is declared a trade secret, or "No" if it is not.

State requirement: If yes, and business is not subject to EPCRA, disclosure of the designated trade secret information is bound by HSC §25511.

Federal requirement: If yes, and business is subject to EPCRA, disclosure of the designated Trade Secret information is bound by 40 CFR and the business must submit a "Substantiation to Accompany Claims of Trade Secrecy" form (40 CFR 350.27) to USEPA.

207. COMMON NAME - Enter the common name or trade name of the hazardous material or mixture containing a hazardous material.

208. EHS - Check "Yes" if the hazardous material is an Extremely Hazardous Substance (EHS), as defined in 40 CFR, Part 355, Appendix A. If the material is a mixture containing an EHS, leave this section blank and complete the section on hazardous components below.

209. CAS # - Enter the Chemical Abstract Service (CAS) number for the hazardous material. For mixtures, enter the CAS number of the mixture if it has been assigned a number distinct from its components. If the mixture has no CAS number, leave this column blank and report the CAS numbers of the individual hazardous components in the appropriate section below.

210. FIRE CODE HAZARD CLASSES - Fire Code Hazard Classes describe to first responders the type and level of hazardous materials which a business handles. This information shall only be provided if the local fire chief deems it necessary and requests the CUPA or AA to collect it. A list of the hazard classes and instructions on how to determine which class a material falls under are included in the appendices of Article 80 of the Uniform Fire Code. If a material has more than one applicable hazard class, include all. Contact CUPA or AA for guidance.

211. HAZARDOUS MATERIAL TYPE - Check the one box that best describes the type of hazardous material: pure, mixture or waste. If waste material, check only that box. If mixture or waste, complete hazardous components section.

212. RADIOACTIVE - Check "Yes" if the hazardous material is radioactive or "No" if it is not.

213. CURIES - If the hazardous material is radioactive, use this area to report the activity in curies. You may use up to nine digits with a floating decimal point to report activity in curies.

214. PHYSICAL STATE - Check the one box that best describes the state in which the hazardous material is handled: solid, liquid or gas.

215. LARGEST CONTAINER - Enter the total capacity of the largest container in which the material is stored.

216. FEDERAL HAZARD CATEGORIES - Check all categories that describe the physical and health hazards associated with the hazardous material.

PHYSICAL HAZARDS	HEALTH HAZARDS					
Fire: Flammable Liquids and Solids, Combustible Liquids, Pyrophorics, Oxidizers	Acute Health (Immediate): Highly Toxic, Toxic, Irritants, Sensitizers, Corrosives,					
Reactive: Unstable Reactive, Organic Peroxides, Water Reactive, Radioactive	other hazardous chemicals with an adverse effect with short term exposure					
Pressure Release: Explosives, Compressed Gases, Blasting Agents	Chronic Health (Delayed): Carcinogens, other hazardous chemicals with an					
	adverse effect with long term exposure					

- 217. AVERAGE DAILY AMOUNT Calculate the average daily amount of the hazardous material or mixture containing a hazardous material, in each building or adjacent/ outside area. Calculations shall be based on the previous year's inventory of material reported on this page. Total all daily amounts and divide by the number of days the chemical will be on site. If this is a material that has not previously been present at this location, the amount shall be the average daily amount you project to be on hand during the course of the year. This amount should be consistent with the units reported in box 221 and should not exceed that of maximum daily amount.
- 218. MAXIMUM DAILY AMOUNT Enter the maximum amount of each hazardous material or mixture containing a hazardous material, which is handled in a building or adjacent/outside area at any one time over the course of the year. This amount must contain at a minimum last year's inventory of the material reported on this page, with the reflection of additions, deletions, or revisions projected for the current year. This amount should be consistent with the units reported in box 221.
- 219. ANNUAL WASTE AMOUNT If the hazardous material being inventoried is a waste, provide an estimate of the annual amount handled.
- 220. STATE WASTE CODE If the hazardous material is a waste, enter the appropriate California 3-digit hazardous waste code as listed on the back of the Uniform Hazardous Waste Manifest.
- 221. UNITS Check the unit of measure that is most appropriate for the material being reported on this page: gallons, pounds, cubic feet or tons. NOTE: If the material is a federally defined Extremely Hazardous Substance (EHS), all amounts must be reported in pounds. If material is a mixture containing an EHS, report the units that the material is stored in (gallons, pounds, cubic feet, or tons).

222. DAYS ON SITE - List the total number of days during the year that the material is on site.

223. STORAGE CONTAINER - Check all boxes that describe the type of storage containers in which the hazardous material is stored. NOTE: If appropriate, you may choose more than one.

224. STORAGE PRESSURE - Check the one box that best describes the pressure at which the hazardous material is stored.

- 225. STORAGE TEMPERATURE Check the one box that best describes the temperature at which the hazardous material is stored.
- 226. HAZARDOUS COMPONENTS 1-5 (% BY WEIGHT) Enter the percentage weight of the hazardous component in a mixture. If a range of percentages is available, report the highest percentage in that range. (Report for components 2 through 5 in 230, 234, 238, and 242.)

 227. HAZARDOUS COMPONENTS 1-5 NAME When reporting a hazardous material that is a mixture, list up to five chemical names of hazardous components in that
- 227. HAZARDOUS COMPONENTS 1-5 NAME When reporting a hazardous material that is a mixture, list up to five chemical names of hazardous components in that mixture by percent weight (refer to MSDS or, in the case of trade secrets, refer to manufacturer). All hazardous components in the mixture present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, should be reported. If more than five hazardous components are present above these percentages, you may attach an additional sheet of paper to capture the required information. When reporting waste mixtures, mineral and chemical composition should be listed. (Report for components 2 through 5 in 231, 235, 239, and 243.)
- 228. HAZARDOUS COMPONENTS 1-5 EHS Check "Yes" if the component of the mixture is considered an Extremely Hazardous Substance as defined in 40 CFR, Part 355, or "No" if it is not. (Report for components 2 through 5 in 232, 236, 240, and 244.)
- 229. HAZARDOUS COMPONENTS 1-5 CAS List the Chemical Abstract Service (CAS) numbers as related to the hazardous components in the mixture. (Repeat for 2-5.)
- 246. LOCÁLLY COLLECTED INFORMATION This space may be used by the CUPA or AA to collect any additional information necessary to meet the requirements of their individual programs. Contact the CUPA or AA for guidance.